



# SCHOOL OF CHEMICAL SCIENCES

MAHATMA GANDHI UNIVERSITY

Priyadarshini Hills, Kottayam-686560

Kerala, India

Email: office.scs@mgu.ac.in

Phone: 0481 -2731036

No.SCS/02/SSA/143625/42/2025

07.02.2025

## QUOTATION NOTICE


Sealed competitive quotations are invited from dealers/ firms for supply and installation of Stabilizer (1 No), School of Chemical Sciences, Mahatma Gandhi University, Kottayam, subject to the following conditions.

SI No	Name of item	QTY
1.	<b>Stabilizer</b> <u>Specification</u> Parameter: Single Phase Operating Frequency: 5KVA Input voltage range Range I: 195-270 V Range II: 170-270 V Range III: 140-270 V Output voltage range: 230 V (+/- 1) Adjustable Voltage: +/-1 Efficiency: 98% at nominal load Input waveform: True reproduction of input Temperature: 0 to 50 0 C Relative humidity: 60% Correction rate: 15/20/35V per sec Cooling type: Natural/ Cooled air Environment of storage: Indoor Insulation: Class B Warranty: 2 years	1

The sealed envelope containing the quotations (Including Transportation & Installation Charges) should be super scribed with the reference number cited above and the same should reach the **Head of the Department, School of Chemical Sciences on or before. 11.00 AM on 19.02.2025.** Quotations will be opened at **11.30 AM on 19.02.2025 at the office of the school.**

### Conditions:

1. Quoted price shall be inclusive of all taxes/freight/loading and unloading/installation.
2. Quoted rates should have at least six months validity period.
3. Warranty and supporting catalogues should be provided.
4. The right to accept or reject the quotations without assigning any reason rests entirely with the undersigned.
5. If the last date for receipt is declared a holiday, the next working day will be the last date for the purpose.



**PROF. & DIRECTOR**

Professor and Head

School of Chemical Sciences

Mahatma Gandhi University

Priyadarsini Hills P.O.

Kottayam, Kerala - 686 560